Docket No.: MASIMO.173C2 Page 1 of 2

## Please Direct All Correspondence to Customer Number 20995

## **AMENDMENT / RESPONSE TRANSMITTAL**

Applicants

Mohamed K. Diab et al.

App. No

10/721.607

Filed

November 25, 2003

For

PULSE OXIMETER PROBE-OFF

DETECTOR

Examiner

Eric F. Winakur

Art Unit

3768

Confirmation No.: 5622

CERTIFICATE OF EFS WEB TRANSMISSION

I hereby certify that this correspondence, and any other attachment noted on the automated Acknowledgement Receipt, is being transmitted from within the Pacific Time zone to the Commissioner for Patents via the EFS Web server on:

June 25, 2008

Andrew I. Kimmel, Reg. No. 58,855

## **Mail Stop Amendment**

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

Transmitted herewith for filing in the above-identified application are the following enclosures:

- (X) an Amendment and Response to March 27, 2008 Office Action in 13 pages;
- (X) a Terminal Disclaimer in 2 pages; and
- (X) an Information Disclosure Statement and PTO/SB/08 Equivalent listing 200 references for consideration.

The fee has been calculated as shown below:

| FEE CALCULATION                         |          |              |   |       |
|---|----------|--------------|---|-------|
| FEE TYPE                                |          | FEE CODE     | CALCULATION                             | TOTAL |
| Terminal Disclaimer                     | 1.321(a) | 1814 (\$130) | , | \$130 |
| Information Disclosure<br>Statement Fee | 1.17(p)  | 1806 (\$180) |   | \$180 |
|   |          |              | TOTAL FEE DUE                           | \$310 |

 Docket No.:
 MASIMO.173C2
 June 25, 2008

 App. No.:
 10/721,607
 Page 2 of 2

Please Direct All Correspondence to Customer Number 20995

Fee of \$310 will be paid via EFS Web.

Please charge any additional fees, including any fees for additional extension of

time, or credit overpayment to Deposit Account No. 11-1410.

Andrew I. Kimmel Registration No. 58,855 Attorney of Record Customer No. 20,995 (949) 760-0404

5573602 062508